

Approvals and conformities

ASME
RCC-M
ISO 9934-2

MANUFACTURER: BABBCO (Fr)

DESCRIPTION / APPLICATION(S)

White strippable contrast paint, very easy to take off by stripping; fast drying, high opacity white paint. Improves the performance of any black magnetic detecting medium.

Companion products: N120, B105, SAFE 105
B103C, KP42A, WCB42, SAFE 820A

DIRECTIONS FOR USE

If necessary, remove scale, paint residue, oxide, etc.

Degrease using degreaser N120, B105, SAFE 105 and cleaning rags or impregnated N120 wipes if necessary.

Strongly shake B102A "Pellical" spraycan, then, from a distance of 30 cm, firmly push nozzle while keeping spraycan upside.

Spray a thin, uniform coat of B102A "Pellical" (if possible only one layer). The layer is generally 30 µm thick.

A thin layer is enough. Too a thick coat leads to coat defects (like orange peel effect) and decreases inspection sensitivity.

B102A "Pellical" is not soluble in water-based or hydrocarbon-based magnetic inks.

After inspection, B102A "Pellical" layer may be stripped as easily as a wallpaper when used on smooth surfaces. It can also be brushed on too rough surfaces.

TECHNICAL CHARACTERISTICS

Compatibility : all ferromagnetic metals

Appearance white liquid
Odour characteristic

1 Date : 05-07-2017 Written and checked by : F. Héron

PRECAUTIONS FOR USE AND STORAGE

Transport / Handling: See Safety Data Sheet (SDS)

Storage:

Keep away from moisture.

Temperature range: 0 to 50 °C.

Keep packaging closed after taking out some of the product.

This technical data sheet replaces and cancels the previous one.

The above details have been compiled to the best of our knowledge. They have, however, an indicative value only and we therefore make no warranties and assume no liability in connection with any use of this information, particularly if a third party's rights are affected by the use of our products. The above information has been compiled based upon tests carried out by SOCOMORE. All data is subject to change as Socomore deems appropriate. The data given is not intended to substitute for any testing you must conduct in order to determine the suitability of the product for your particular purposes. Please check your local legislation applicable to the use of this product. Should you need any further information please contact us.