

**MANUFACTURER: BABBCO (F)**

### **DESCRIPTION / APPLICATION(S)**

Dual purpose magnetic ink for inspection under UV-A and/or white light, actinic blue is possible:

- very thin
- very stable

Can be used with any magnetic field generator (current passing, hand yokes or permanent magnets).

**Companion products:** B102A, B104B if necessary

### ***DIRECTIONS FOR USE***

We advise to clear the piece from any paint, oxide, soldering flows, etc., likely to give false indications, and to degrease carefully and thoroughly.

Best results are obtained by using SAFE 850B between 10 and 35°C.

Shake the can until you can clearly hear the ball tinkling. It may be necessary in some cases to apply a white contrast background before applying the magnetic ink but not mandatory.

Spray SAFE 850B during 3 to 5 seconds on the area to be inspected during the magnetization. Carry on magnetization for 2 to 3 seconds after you stop spraying, so that the particles can take their place properly.

Inspection is done under white light (red indications) and/or UV-A light (red-orange fluorescent indications). ISO 3059 standard is applicable. A "cold" white light (white-blue) is better.

The use of actinic blue is possible and gives excellent results.

### ***TECHNICAL CHARACTERISTICS***

- Water-based solution containing anticorrosion and wetting agents. Non-flammable, no odour, no smoke.
- Propellant: CO<sub>2</sub>
- Free from halogens and sulphur.
- Concentration of magnetic particles: 8.0g/L

## ***PRECAUTIONS FOR USE AND STORAGE***

---

**Transport / Handling:** See Safety Data Sheet (SDS)

**Storage:**

Keep away from moisture.

Temperature range: 0 to 50 °C.

Keep packaging closed after taking out some of the product.

**This technical data sheet replaces and cancels the previous one.**

The information in this document is given in good faith but is only indicative and therefore does not imply any commitment or guarantee on our part, particularly in the event of infringement of rights belonging to third parties as a result of using our products. These data should not be used as a substitute for the preliminary tests that must be carried out to ensure the suitability of the product in each specific case. In any case, we invite you to check the local legislation applicable to the use of our product. Pictures are non-contractual.