DISCOVERT SOLVEST

RESIN, POLYESTER AND ADHESIVE CLEANING SOLVENT

Technical Data Sheet

Approvals and conformities

SAFRAN PR1500

DISCOVERT SOLVEST is a versatile cleaning solvent used to dissolve grease, resin and adhesives. It effectively removes grease without damaging materials.

DISCOVERT SOLVEST is a non-toxic and environmentally responsible alternative to chlorinated or hydrocarbon solvents that can be harmful to the environment and operators.

Advantages

- · Readily biodegradable
- Halogen free
- VOC free
- CMR free
- · High flash point
- · Inert on metals
- · Not subject to safety labelling

USES

- Remove residue such as resin, adhesives, screen printing ink, marking ink, etc. from practically all surfaces.
- Dissolve particularly stubborn grease stains or rust on mechanical components.
- Smoothing reticulated polyurethane (RP) (sealing and fastening in the aerospace, automotive industry, etc.).
- Remove grease from the surface of rubber for better adherence (tack).
- Remove all traces of penetrant (even on porous materials) in dye penetrant and magnetic particle inspection.
- Do not apply on plexiglass, makrolon, etc.

DIRECTIONS FOR USE

Ready to use, the DISCOVERT SOLVEST is used as supplied and without dilution:

- In circulation pipes
- By brushing or swabbing



1/2

- By wiping with a cloth or wipe
- In a hot or cold bath, with or without ultrasound (60°C)
- · In parts washers

After cleaning, wipe off using a dry wipe or dry using compressed air.

TECHNICAL CHARACTERISTICS

Appearance	Liquid
Specific gravity	1
Colour	
Odor	Sweet, non-lingering
Flash point	>100°C (AFNOR closed cup)

PRECAUTIONS FOR USE AND STORAGE

Storage temperature: between 5 and 25°C for maximum lifespan.

Shelf life: 2 years (sealed packaging).

Always perform a surface compatibility test prior to use.

This technical data sheet replaces and cancels the previous one.

The above details have been compiled to the best of our knowledge. They have, however, an indicative value only and we therefore make no warranties and assume no liability in connection with any use of this information, particularly if a third party's rights are affected by the use of our products. The above information has been compiled based upon tests carried out by SOCOMORE. All data is subject to change as SOCOMORE deems appropriate. The data given is not intended to substitute for any testing you must conduct in order to determine the suitability of the product for your particular purposes. Pictures are not contractual. Please check your local legislation applicable to the use of this product. Should you need any further information please contact us.

