

Master item code: C10/S SPRAY

Safety Data Sheet date: 28/12/2023, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name: C10S1SPRAY SDS code: C10S1SPRAY UFI: A86T-50P8-500W-QN1E 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Cleaner Solvent 1.3. Details of the supplier of the safety data sheet Manufacturers: BABBCO 15, rue des Frères Lumière Z.I. des EBISOIRES 78370 PLAISIR (France) Tel: +33 (0)1.30.80.81.82 www.babbco.fr **Distributors:** BabbCo-Socomore NDT Division BABBCO SHERWIN-BABBCO Tel: +33 (0)1.30.80.81.82 www.babbco.fr Competent person responsible for the safety data sheet: e-mail: regulatoryservice@babbco.fr 1.4. Emergency telephone number France : ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585. **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) 😟 Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated. Warning, Skin Irrit. 2, Causes skin irritation. Warning, STOT SE 3, May cause drowsiness or dizziness. Warning, Aquatic Acute 1, Very toxic to aquatic life. Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects. Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements



Hazard pictograms:



Danger

Hazard statements:

H222, H229 Extremely flammable aerosol. Pressurized container: may burst if heated. H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P273 Avoid release to the environment.

P391 Collect spillage.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Special Provisions:

. None Contains

ontains

heptane; n-heptane

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification
<pre>>= 70% - < 80%</pre>	heptane; n-heptane	Index number: CAS: EC:	601-008-00-2 142-82-5 205-563-8	 2.6/2 Flam. Liq. 2 H225 3.10/1 Asp. Tox. 1 H304 3.2/2 Skin Irrit. 2 H315 3.8/3 STOT SE 3 H336 4.1/A1 Aquatic Acute 1 H400
				4.1/C1 Aquatic Chronic 1
				H410

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) C10S1SPRAY - C10S1SPRAY

Remove contaminated clothing immediately and dispose of safely. After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Foam. Multipurpose powders class ABC Water haze Extinguishing media which must not be used for safety reasons: Spray water

5.2. Special hazards arising from the substance or mixture Carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use Self-Contained Breathing Apparatus (SCBA) with chemical protection suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

- Remove all sources of ignition.
- Remove persons to safety.
- See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Ensure adequate ventilation

For cleaning up:

Ensure adequate ventilation

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned.



Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Wash hands after use Contamined clothing should be changed before entering eating areas. Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Store at ambient temperature. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular. Instructions as regards storage premises: Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

heptane; n-heptane - CAS: 142-82-5

- OEL Type: National - TWA(8h): 1668 mg/m3, 400 ppm - STEL: 2085 mg/m3, 500 ppm - Notes: France VLEC - TMP N° 84

- OEL Type: EU - TWA(8h): 2085 mg/m3, 500 ppm

- OEL Type: ACGIH - TWA(8h): 400 ppm - STEL: 500 ppm - Notes: CNS impair, URT irr

- OEL Type: National - TWA(8h): 2100 mg/m3, 500 ppm - Notes: Germany

- OEL Type: National - TWA(8h): 2085 mg/m3, 500 ppm - Notes: United Kingdom

DNEL Exposure Limit Values

heptane; n-heptane - CAS: 142-82-5

Worker Industry: 300 mg/kg - Consumer: 149 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 2085 mg/m3 - Consumer: 447 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 149 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

N.A.

Biological Exposure Index N.A.

8.2. Exposure controls

See below, example of PPE to use. <u>Eye protection:</u> Eye glasses with side protection. <u>Protection for skin:</u> Chemical protection clothing. <u>Protection for hands:</u> NR (natural rubber, natural latex).

C10S1SPRAY - version 1 Page 4 / 11

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) C10S1SPRAY - C10S1SPRAY

Respiratory protection: Mask with filter "A" , brown colour Mask with filter "P", white colour Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None Other conditions affecting workers exposure: None

SECTION 9: Physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Colourless		
Odour:	N.A.		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	-44°C		
Flammability:	N.A.		
Lower and upper explosion limit:	Lower: 1.1 Vol% Upper: 8.5 Vol%		
Flash point (°C):	-97°C		
Auto-ignition temperature:	215°C		
Decomposition temperature:	N.A.		
pH:	N.A.		
Kinematic viscosity:	N.A.		
Solubility in water:	N.A.		
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	2.100 hPa		
Density and/or relative density:	0.62 g/cm ³		
Relative vapour density:	N.A.		
	Particle char	acteristics:	
Particle size:	N.A.		

9.2. Other information

No other relevant information Volatile Organic compounds - VOCs = 100 %

N.A. = not available

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) C10S1SPRAY - C10S1SPRAY

- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid
 - Stable under normal conditions.
- 10.5. Incompatible materials
 - Avoid contact with combustible materials. The product could catch fire.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: C10S1SPRAY Acute toxicity Not classified Based on available data, the classification criteria are not met Skin corrosion/irritation The product is classified: Skin Irrit. 2 H315 Serious eye damage/irritation Not classified Based on available data, the classification criteria are not met Respiratory or skin sensitisation Not classified Based on available data, the classification criteria are not met Germ cell mutagenicity Not classified Based on available data, the classification criteria are not met Carcinogenicity Not classified Based on available data, the classification criteria are not met Reproductive toxicity Not classified Based on available data, the classification criteria are not met STOT-single exposure The product is classified: STOT SE 3 H336 STOT-repeated exposure Not classified Based on available data, the classification criteria are not met Aspiration hazard Not classified Based on available data, the classification criteria are not met Adverse health effects Skin and Eye contact: It can cause irritation if comes in contcat with skin and/or eyes. Toxicological information of the main substances found in the product: heptane; n-heptane - CAS: 142-82-5 Acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg Test: LC50 - Route: Inhalation > 20 mg/l

11.2. Information on other hazards

Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%



Other toxicological information: heptane; n-heptane Causes skin irritations, prolonged contact: dermatosis by removing the lipo-acid skin coating. **SECTION 12: Ecological information** 12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. C10S1SPRAY The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410 heptane; n-heptane - CAS: 142-82-5 a) Aquatic acute toxicity: Endpoint: EL50 - Species: Fish > 1 mg/l - Notes: LL/EL/IL50 Endpoint: EL50 - Species: Daphnia > 1 mg/l - Notes: LL/EL/IL50 Endpoint: EL50 - Species: Algae > 1 mg/l - Notes: LL/EL/IL50 b) Aquatic chronic toxicity: Endpoint: NOEC - Species: Fish > 1 mg/l Endpoint: NOEC - Species: Daphnia > 0.1 mg/l c) Bacteria toxicity: Endpoint: EL50 - Species: bacteria > 10 mg/l 12.2. Persistence and degradability heptane; n-heptane - CAS: 142-82-5 Biodegradability: Biodegradability rate - Duration: 28 days - %: 98 12.3. Bioaccumulative potential N.A. 12.4. Mobility in soil N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties No endocrine disruptor substances present in concentration >= 0.1%12.7. Other adverse effects No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

07 07 04* other organic solvents, washing liquids and mother liquors Additional disposal information:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) C10S1SPRAY - C10S1SPRAY

SECTION 14: Transport information



14.1. UN number or ID number	
ADR-UN Number:	1950
IATA-UN Number:	1950
IMDG-UN Number:	1950
14.2. UN proper shipping name	
ADR-Shipping Name:	AEROSOLS, flammable
IMDG-Shipping Name:	AEROSOLS, flammable
14.3. Transport hazard class(es)	,
ADR-Class:	2
ADR - Hazard identification nur	mber: -
IATA-Class: 2.1	
IMDG-Class: 2.1	
IMDG-Class:	2
14.4. Packing group	
ADR-Packing Group:	-
IATA-Packing group:	-
IMDG-Packing group:	-
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	Yes
IMDG-Marine pollutant:	Yes
IMDG-EmS:	F-D , S-U
14.6. Special precautions for user	
ADR-Subsidiary hazards:	See SP63
ADR-S.P.:	190 327 344 625
ADR-Transport category (Tunn	
IATA-Passenger Aircraft:	203
IATA-Subsidiary hazards:	See SP63
IATA-Cargo Aircraft:	203
IATA-S.P.:	A145 A167 A802
IATA-ERG:	10L
IMDG-Subsidiary hazards:	See SP63
IMDG-Stowage and handling:	SW1 SW22
IMDG-Segregation: Q.L.: 1L	SG69
Q.E.: TL Q.E.: E0	
14.7. Maritime transport in bulk acc	ording to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP)



Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2016/1179 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: Restriction 3 Restriction 40 Restrictions related to the substances contained: Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006): N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. 1999/13/EC (VOC directive) Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P3a, E1

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

C10S1SPRAY - version 1 Page 9 / 11

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH)) C10S1SPRAY - C10S1SPRAY

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Aerosols 1	2.3/1	Aerosol, Category 1
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1 4.1/C1		Chronic (long term) aquatic hazard, category 1

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Aerosols 1, H222, H229	On basis of test data
Skin Irrit. 2, H315	Calculation method
STOT SE 3, H336	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Appendix 1 Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or retransmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.



ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
040.	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
6115.	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
IATA-DON.	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
1040-11.	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day.
	(ACGIH Standard).
WGK:	German Water Hazard Class.