Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: Penetrant EFXR-02 spraycan

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Supplier:

BabbCo SA SherwinBabbCo

15, rue des Frères Lumière Z.I. des EBISOIRES

78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82 Tel: +33 (0)1.30.80.81.98

Fax: +33 (0)1.30.80.81.99

e-mail: babb-co@orange.fr e-mail: SherwinBabbco@orange.fr

http://www.babbco.fr

- · Manufacturer: BabbCo SA (Plaisir France) Tel: +33 (0)1 30 80 81 82
- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible,

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aerosol 2 H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Warning
- · Hazard statements

H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · Additional information: Classification according Directive 2008 47 EC Amending directive relating to aerosol dispensers
- · 2.3 Other hazards See Chapters 3 and 15 for details.

(Contd. on page 2)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 1)

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 34590-94-8 EINECS: 252-104-2 Reg.nr.: 01-2119450011-60	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	25-50%
CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol ♦ Flam. Liq. 3, H226; ♦ STOT SE 3, H336	2.5-10%
CAS: 124-38-9 EINECS: 204-696-9 Reg.nr.: exempted	carbon dioxide substance with a Community workplace exposure limit	2.5-10%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Foam

ABC powder

- For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

No further relevant information available.

- 5.3 Advice for firefighters
- · Special protective equipment for fire-fighters:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 3)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 2)

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Work only in fume cupboard.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Store receptacle in fume cupboard.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingre	Ingredients with limit values that require monitoring at the workplace:		
CAS:	34590-94-8 Dipropylene glycol monomethyl ether		
WEL	Long-term value: 308 mg/m³, 50 ppm		
	Sk		
	CAS: 107-98-2 1-methoxy-2-propanol		
	Short-term value: 560 mg/m³, 150 ppm		
	Long-term value: 375 mg/m³, 100 ppm		
	Sk		
CAS:	CAS: 124-38-9 carbon dioxide		
WFI	Short-term value: 27400 mg/m ³ . 15000 ppm		

Regulatory information WEL: EH40/2020

Long-term value: 9150 mg/m³, 5000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- **Respiratory protection:**

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)
- When using a dry powder:
- Recommended for particulate filters (type P)
- · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Natural rubber, NR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Not applicable.

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 3)

Eye/face protection



· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Aerosol Colour: Red · Odour: Characteristic

Odour threshold: Not determined. Melting point/freezing point: Undetermined. 190 °C

Boiling point or initial boiling point and boiling range

· Flammability

Lower and upper explosion limit

· Lower: 1.1 Vol % · Upper: 14 Vol %

Flash point:

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined. · pH Not determined.

Viscosity:

Kinematic viscosity Not determined. **Dynamic:** Not determined.

Solubility

water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 0.4 hPa

Density and/or relative density

Density at 20 °C: ~0.947 g/cm3 (ASTM D-1298)

Relative density Not determined. · Vapour density Not determined.

9.2 Other information

Appearance:

Form: Aerosol

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: 270 °C

Explosive properties: Not determined.

Solvent content:

Organic solvents: 49.4 % VOC (1999/13/EG) 49.42 % **Solids content:** 0.5 %

Change in condition

Evaporation rate Not applicable.

· Information with regard to physical hazard classes

Explosives not applicable Flammable gases not applicable

Aerosols Flammable aerosol. Pressurised container: May burst if heated.

Oxidising gases not applicable Gases under pressure not applicable

(Contd. on page 5)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 4)

		` .	
· Flammable liquids	not applicable		
Flammable solids	not applicable		
Self-reactive substances and mixtures	not applicable		
Pyrophoric liquids	not applicable		
Pyrophoric solids	not applicable		
Self-heating substances and mixtures	not applicable		
Substances and mixtures, which emit flammable	e gases in		
contact with water	not applicable		
Oxidising liquids	not applicable		
Oxidising solids	not applicable		
Organic peroxides	not applicable		
Corrosive to metals	not applicable		
Desensitised explosives	not applicable		

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Information on hazardous ingredients

LD/LC50) values	relevant	for clas	sification:

CAS: 107-98-2 1-methoxy-2-propanol

Oral LD50 5,660 mg/kg (rat)
Dermal LD50 13,000 mg/kg (rabbit)

- · 11.2 Information on other hazards
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: Information on hazardous ingredients
- 12.2 Persistence and degradability Product tested according to OECD302B regulation, show inherent & ultimate biodegradability.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 5)

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- **Uncleaned packaging:**
- **Recommendation:**

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

SECTION 14: Transport information	
· 14.1 UN number or ID number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
· ADR	1950 AEROSOLS
· IMDG	AEROSOLS
· IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
· ADR	
2	
·Class	2 5F Gases.
·Label	2.1
· IMDG, IATA	
·Class	2.1
Label	2.1
· 14.4 Packing group	
· ADR, IMDG, IATA	not applicable
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Hazard identification number (Kemler code):	-
EMS Number:	F-D,S-U
· Stowage Code	SW1 Protected from sources of heat.
-	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. Fo
	AEROSOLS with a capacity above 1 litre: Category B. For WAST
Segregation Code	AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre:
Segi egativii Couc	Segregation as for class 9. Stow "separated from" class 1 except for
	division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 6)

	(Conta. or pay
	Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according	g to IMO
instruments	Not applicable.
	recupplicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
Remarks:	Aerosols may be transported under LIMITED QUANTITIES (LQ).
	See ADR 3.4 - LQ2. That means no class 2.
IMDG	
Limited quantities (LQ)	1L
	Code: F0
Excepted quantities (EQ)	Not permitted as Excepted Quantity
Remarks:	Aerosols may be transported under LIMITED QUANTITIES (LQ).
Remarks:	See IMDG 3.4 - LQ2. That means no class 2.
	Occ IIVIDO 5.4 - EQZ. That means no diass Z.
IATA	
Remarks:	Max. net quantity per package - Passenger Aircraft
	75kg
	Max. net quantity per package - Cargo Aircraft
	150kg
	Max. net quantity per package - Limited quantities 30 kg G
	Packaging Instruction:
	Passenger Aircraft - PI 203
	Cargo aircraft - PI 203
	Limited quantities - PI Y203
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- * Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P3b FLAMMABLE AEROSOLS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards

and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

(Contd. on page 8)

Revision date: 24.02.2021 v. 1 Date of issue: 24.02.2021

Trade name: Penetrant EFXR-02 spraycan

(Contd. of page 7)

Relevant phrases

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

- · Contact: BabbCo SA
- · Prepared by Babb Co S.A.
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised $\dot{\text{S}}\textsc{ystem}$ of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Aerosol 2: Aerosols - Category 2

Flam. Liq. 3: Flammable liquids - Category 3

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

GB