Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: FSP 3 Flocculant for penetrant testing
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Water treatment
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Supplier:

BabbCo SA SherwinBabbCo

15, rue des Frères Lumière

Z.I. des EBISOIRES 78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82 Tel: +33 (0)1.30.80.81.98

Fax: +33 (0)1.30.80.81.99

e-mail: babb-co@orange.fr e-mail: SherwinBabbco@orange.fr

http://www.babbco.fr

- · Manufacturer: BabbCo SA (Plaisir France) Tel: +33 (0)1 30 80 81 82
- Further information obtainable from: Product safety department
- 1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible, risks

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.
- 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 not applicable
- · Hazard pictograms not applicable
- · Signal word not applicable
- · Hazard statements not applicable
- 2.3 Other hazards See Chapters 3 and 15 for details.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- * Description: Mixture of substances listed below with nonhazardous additions.

z unger ous components	· D	angerous	component	s:
------------------------	-----	----------	-----------	----

CAS: 10043-01-3 aluminium sulphate substance with a Community workplace exposure limit 25-50% EINECS: 233-135-0

(Contd. on page 2)

Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

Trade name: FSP 3 Flocculant for penetrant testing

(Contd. of page 1)

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Foam

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

No further relevant information available.

- 5.3 Advice for firefighters
- · Special protective equipment for fire-fighters:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- **6.4 Reference to other sections** No dangerous substances are released.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Work only in fume cupboard.

- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in fume cupboard.
- · 7.3 Specific end use(s) No further relevant information available.

GB -

Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

Trade name: FSP 3 Flocculant for penetrant testing

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 10043-01-3 aluminium sulphate

WEL Long-term value: 2 mg/m³

- Regulatory information WEL: EH40/2020
- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.
- Respiratory protection:

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)

When using a dry powder:

- Recommended for particulate filters (type P)
- · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Not determined.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Natural rubber, NR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Safety glasses

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information

Physical stateColour:Odour:BeigeCharacteristic

• Odour threshold:
• Melting point/freezing point:
• Boiling point or initial boiling point and boiling range

Not determined.
>1,000 °C
Undetermined.

Boiling point or initial boiling point and boiling range Flammability

Lower and upper explosion limit

Lower: Not determined.Upper: Not determined.

Flash point:

· Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.pH Not applicable.

Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

(Contd. on page 4)

Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

Trade name: FSP 3 Flocculant for penetrant testing

Solubility

Aerosols

Oxidising gases

Gases under pressure

· Self-reactive substances and mixtures

Flammable liquids

Pyrophoric liquids

Pyrophoric solids

Flammable solids

(Contd. of page 3)

water:	Insoluble.			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure:	Not applicable.			
Density and/or relative density				
Density at 20 °C:	0.885 g/cm³ (ASTM D-1298)			
Relative density	Not determined.			
Vapour density	Not applicable.			
9.2 Other information				
Appearance:				
Form:	Powder			
Important information on protection of health and				
environment, and on safety.				
Explosive properties:	Product does not present an explosion hazard.			
Solvent content:				
VOC (1999/13/EG)	0.00 %			
Solids content:	100.0 %			
Change in condition				
Evaporation rate	Not applicable.			
Information with regard to physical hazard classes				
Explosives	not applicable			
Flammable gases	not applicable			

not applicable

Self-heating substances and mixtures not applicable Substances and mixtures, which emit flammable gases in

contact with waternot applicableOxidising liquidsnot applicableOxidising solidsnot applicableOrganic peroxidesnot applicableCorrosive to metalsnot applicableDesensitised explosivesnot applicable

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB -

Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

Trade name: FSP 3 Flocculant for penetrant testing

(Contd. of page 4)

SECTION 11: Toxicological information

- 11.2 Information on other hazards
- **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: Information on hazardous ingredients
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Smaller quantities can be disposed of with household waste.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- **Uncleaned packaging:**
- Recommendation:

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

SECTION 14: Transport information

*	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not applicable
· 14.2 UN proper shipping name · ADR, IMDG, IATA	not applicable
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class	not applicable
· 14.4 Packing group · ADR, IMDG, IATA	not applicable
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according to IM instruments	O Not applicable.

(Contd. on page 6)

Revision date: 23.12.2021 v. 1 Date of issue: 14.05.2009

Trade name: FSP 3 Flocculant for penetrant testing

(Contd. of page 5)

Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	not applicable	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

- · Contact: BabbCo SA
- · Prepared by Babb Co S.A.
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

GB