1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: Penetrant HM-406
- * 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Penetrant

1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

· Supplier:

BabbCo SA SherwinBabbCo 15, rue des Frères Lumière Z.I. des EBISOIRES 78370 PLAISIR (France) Tel: +33 (0)1.30.80.81.82 Tel: +33 (0)1.30.80.81.98 Fax: +33 (0)1.30.80.81.99 e-mail: babb-co@orange.fr e-mail: SherwinBabbco@orange.fr http://www.babbco.fr **Manufacturer:**

NDT Europa BV damsluisweg 77 1332 EB almere / the netherlands phone +31 (0) 36 5495000 fax +31 (0) 36 5495011 e-mail: info@ndt-europa.nl http://www.ndt-europa.nl

· Further information obtainable from: Product safety department

[•] 1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris) Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible, risks

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



Signal word Danger

1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

(Contd. of page 1)

· Hazard-detern	nining components of labelling:
Secondary alco	hol ethoxylates (3)
Blend of highly	refined mineral oil
Hazard statem	ents
H318 Causes s	erious eye damage.
	ital if swallowed and enters airways.
Precautionary	statements
P280	Wear eye protection / face protection.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P331	Do NOT induce vomiting.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local regulations.
 Additional info 	ormation:
EUH066 Repea	ted exposure may cause skin dryness or cracking.
• 2.3 Other haza	urds See Chapters 3 and 15 for details.
· Results of PBT	and vPvB assessment
• PBT: Not appli	cable.
· vPvB: Not appl	
· = · = • · · • • • • • • • • •	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

* Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 68131-40-8 Reg.nr.: polymer	Secondary alcohol ethoxylates (3)	♦ Eye Dam. 1, H318	25-50%
CAS: 64742-47-8 EC number: 918-973-3 Reg.nr.: 01-2119458871-30	Blend of highly refined mineral oil	Asp. Tox. 1, H304, EUH066	25-50%
CAS: 64742-55-8 EC number: 920-114-2 Reg.nr.: 01-2119977122-39	Blend of highly refined mineral oil	🚸 Asp. Tox. 1, H304, EUH066	25-50%

Additional information:

64742-55-8 Blend of highly refined mineral oil: Note L is applicable for this product:

The classification as a carcinogen need not apply, because the substance contains less than 3 % DMSO extract as measured by IP 346.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- * 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media • Suitable extinguishing agents:

Water haze

1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

Foam

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture
- Carbon monoxide and carbon dioxide
- No further relevant information available.
- 5.3 Advice for firefighters
- Special protective equipment for fire-fighters: Wear self-contained respiratory protective device. Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
- Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- *7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- [•] Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- [•] Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- [.] Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- **Respiratory protection:**
- Respiratory protection:
- When using a liquid based on organic compound:
- Recommended for organic vapour (type A)
- When using a dry powder:

(Contd. of page 2)

1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

- Recommended for particulate filters (type P)

· Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves Natural rubber, NR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye/face protection



Safety glasses

Tightly sealed goggles **Body protection:** Protective work clothing

Use protective suit.

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical property	tion
· General Information	
· Physical state	Fluid
· Colour:	Fluid Yellow fluorescent
· Odour:	
	Characteristic
• Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	>220 °C
Flammability	Not applicable.
· Lower and upper explosion limit	
Lower:	0.5 Vol %
Upper:	7 Vol %
[·] Flash point:	> 93 °C (ASTM D-93)
Auto-ignition temperature:	>230 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
[•] Kinematic viscosity at 40 °C	6.8 mm²/s
[•] Dynamic:	Not determined.
· Solubility	
water:	Not determined.
[•] Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	<0.1 hPa
Density and/or relative density	
Density at 20 °C:	0.881 g/cm³ (ASTM D-1298)
· Relative density	0.875
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
Form:	Liquid
Important information on protection of health an	
environment, and on safety.	
· Auto-ignition temperature:	Product is not selfigniting.
	(Contd. on page 5

(Contd. of page 3)

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

		(Contd. of page 4
• Explosive properties:	Product does not present an explosion hazard.	
Solvent content:		
Organic solvents:	52.6 %	
· VOC (1999/13/EG)	0.00 %	
· Change in condition		
· Evaporation rate	Not determined.	
[•] Information with regard to physical hazard cla	SSES	
Explosives	not applicable	
· Flammable gases	not applicable	
Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
• Self-reactive substances and mixtures	not applicable	
[•] Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
[•] Substances and mixtures, which emit flammabl	e gases in	
contact with water	not applicable	
[•] Oxidising liquids	not applicable	
· Oxidising solids	not applicable	
· Organic peroxides	not applicable	
· Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.

Stable at environment temperature.

- * 10.3 Possibility of hazardous reactions No dangerous reactions known.
- * 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Information on hazardous ingredients

· LD/LC50 values relevant for classification:

CAS: 68131-40-8 Secondary alcohol ethoxylates (3)

Oral LD50 2,600 mg/kg (rat)

CAS: 64742-47-8 Blend of highly refined mineral oil

Oral LD50 >2,000 mg/kg (rat)

>2,000 mg/kg (rabbit)

CAS: 64742-55-8 Blend of highly refined mineral oil

Oral LD50 >2,000 mg/kg (rat)

>2,000 mg/kg (rabbit)

· Skin corrosion/irritation repeated exposure may cause skin dryness or cracking

• Serious eye damage/irritation Causes serious eye damage.

· Aspiration hazard May be fatal if swallowed and enters airways.

1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

• Aquatic toxicity:

Information on hazardous ingredients

CAS: 68131-40-8 Secondary alcohol ethoxylates (3)

LC50/ 96 h 1-10 mg/l (Fish)

EC50/ 48 h 3.1 mg/l (daphnia)

CAS: 64742-47-8 Blend of highly refined mineral oil

LC50/ 96 h >1,000 mg/l (Fish)

EC50/ 48 h >1,000 mg/l (daphnia)

- IC50 /72 h >1,000 mg/l (Algea)
- 12.2 Persistence and degradability Product tested according to OECD302B regulation, show inherent & ultimate biodegradability.
- 12.3 Bioaccumulative potential No further relevant information available.
- ^{12.4} Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- * 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark:

Secondary alcohol ethoxylates: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents

- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

[•] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- Uncleaned packaging:
- · Recommendation:

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

* Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport informa	tion	
 14.1 UN number or ID number ADR, IMDG, IATA 	not applicable	
 14.2 UN proper shipping name ADR, IMDG, IATA 	not applicable	
		(Contd. on page 7) GB

(Contd. of page 5)

GB

Safety data sheet According (EU) 2020/878, Annex B amending Regulation (EC) No

1907/2006

Revision date: 08.07.2022

v. 15

Date of issue: 06.02.2015

Trade name: Penetrant HM-406

		(Contd. of page 6)
· 14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
· Class	not applicable	
[•] 14.4 Packing group		
· ADR, IMDG, IATA	not applicable	
¹ 14.5 Environmental hazards:		
[·] Marine pollutant:	No	
[•] 14.6 Special precautions for user	Not applicable.	
• 14.7 Maritime transport in bulk according to	o IMO	
instruments	Not applicable.	
[•] Transport/Additional information:	Not dangerous according to the above specifications.	
UN "Model Regulation":	not applicable	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (UK REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Product safety department

· Prepared by NDT Europa BV

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1

* Data compared to the previous version altered.