

Master item code: P 138SA SPRAY

Safety Data Sheet date: 29/12/2023, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: P138SASPRAY SDS code: P138SASPRAY

UFI: CAY6-U3RM-W00R-VUNC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Penetrant testing

1.3. Details of the supplier of the safety data sheet

Manufacturers:

BABBCO

15, rue des Frères Lumière Z.I. des EBISOIRES 78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82

www.babbco.fr **Distributors**:

BabbCo-Socomore NDT Division

BABBCO

SHERWIN-BABBCO Tel: +33 (0)1.30.80.81.82

www.babbco.fr

Competent person responsible for the safety data sheet:

e-mail: regulatoryservice@babbco.fr

1.4. Emergency telephone number

France: ORFILA (INRS) +33 (0)1 45 42 59 59 International: CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Warning, Eye Irrit. 2, Causes serious eye irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger



Hazard statements:

H222, H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P337+P313 If eye irritation persists: Get medical advice/attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

Special Provisions:

EUH208 Contains azodyesimilartoClsolventred19. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Numb | er | Classification |
|-------------------|--|---------------------------------|---|-------------------------|
| >= 40% - < 50% | Hydrocarbures, C13-C16, n-alcanes, isoalcanes, cycliques, < 0.03% aromatiques | EC: REACH No.: | 934-954-2 01-21198265 92-36 | 3.10/1 Asp. Tox. 1 H304 |
| >= 1% - < 3% | ISOTRIDECANOL, ETHOXYLATED | CAS: EC: REACH No.: | 69011-36-5 500-241-6 01-21199763 62-32 | |
| >= 1% - < 3% | ALCOHOLC9-C11ISO C10RICHETHOXYLAT ED | CAS: | 78330-20-8 | ♦ 3.3/1 Eye Dam. 1 H318 |
| >= 1% - < 3% | Solvent naphtha (petroleum), heavy arom.; Kerosine - unspecified; [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the | Index number: CAS: EC: | 649-424-00-3 64742-94-5 265-198-5 | 3.10/1 Asp. Tox. 1 H304 |



| | range of C9 through C16 and boiling in the range of approximately 165 oC to 290 oC (330 oF to 554 oF).] | | | |
|--------------------------|---|---------------------------------|---------------------------------------|--|
| >= 0.5% - < 1% | azodyesimilartoClsolve ntred19 | CAS: EC: | 56358-09-9 260-124-8 | 3.2/2 Skin Irrit. 2 H315 3.4.2/1B Skin Sens. 1B H317 3.9/2 STOT RE 2 H373 |
| >= 0.001% - < 0.1% | naphthalene | Index number: CAS: EC: | 91-20-3 202-049-5 | 3.6/2 Carc. 2 H351 4.1/A1 Aquatic Acute 1 H400 4.1/C1 Aquatic Chronic 1 H410 3.1/4/Oral Acute Tox. 4 H302 |
| >= 0.001% - < 0.1% | 1,4-dioxane | Index number: CAS: EC: | 603-024-00-5 123-91-1 204-661-8 | 2.6/2 Flam. Liq. 2 H225 3.6/1B Carc. 1B H350 3.8/3 STOT SE 3 H335 3.3/2 Eye Irrit. 2 H319 EUH066 EUH019 |

SVHC, PBT, vPvB, endocrine disruptor substances:

>= 0.001% - < 0.1% 1,4-dioxane

Index number: 603-024-00-5, CAS: 123-91-1, EC: 204-661-8

SVHC

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media



Suitable extinguishing media:

Foam.

Multipurpose powders class ABC

Water haze

Extinguishing media which must not be used for safety reasons:

Spray water

5.2. Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use Self-Contained Breathing Apparatus (SCBA) with chemical protection suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Ensure adequate ventilation

For cleaning up:

Ensure adequate ventilation

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, ensure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Wash hands after use

Contamined clothing should be changed before entering eating areas.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Store at ambient temperature. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Store at ambient temperatures. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values



Hydrocarbures, C13-C16, n-alcanes, isoalcanes, cycliques, < 0.03% aromatiques
OEL short - 10mg/m3

naphthalene - CAS: 91-20-3

- OEL Type: National TWA(8h): 50 mg/m3, 10 ppm Notes: INRS, France
- OEL Type: EU TWA(8h): 50 mg/m3, 10 ppm
- OEL Type: ACGIH TWA(8h): 10 ppm Notes: Skin, A3 URT irr, cataracts, hemolytic anemia
- OEL Type: National TWA: 50 mg/m3, 10 ppm Notes: Ireland OELs

1,4-dioxane - CAS: 123-91-1

- OEL Type: EU TWA(8h): 73 mg/m3, 20 ppm
- OEL Type: ACGIH TWA(8h): 20 ppm Notes: Skin, A3 Liver dam
- OEL Type: National TWA: 35 mg/m3, 10 ppm STEL: 140 mg/m3, 40 ppm

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Biological Exposure Index

N.A.

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Eye glasses with side protection.

Protection for skin:

Chemical protection clothing.

Protection for hands:

NR (natural rubber, natural latex).

Respiratory protection:

Mask with filter "A", brown colour

Mask with filter "P", white colour

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

Other conditions affecting workers exposure:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Properties | Value | Method: | Notes |
|---|---------------------------|---------|-------|
| Physical state: | Liquid | | |
| Colour: | Red | | |
| Odour: | N.A. | | |
| Melting point/freezing point: | N.A. | | |
| Boiling point or initial boiling point and boiling range: | -44°C | | |
| Flammability: | N.A. | | |
| Lower and upper explosion limit: | Lower: 1.5 Vol% Upper: | | |



| | 8.5 Vol% | |
|------------------------------|-----------|------|
| Flash point (°C): | -97°C | |
| Auto-ignition temperature: | 365°C | |
| Decomposition | N.A. | |
| temperature: | | |
| pH: | N.A. | |
| Kinematic viscosity: | N.A. | |
| Solubility in water: | N.A. | |
| Solubility in oil: | N.A. | |
| Partition coefficient | N.A. | |
| n-octanol/water (log value): | | |
| Vapour pressure: | 2.100 hPa | |
| Density and/or relative | N.A. | |
| density: | | |
| Relative vapour density: | N.A. | |

Particle characteristics:

| Particle size: | N.A. | | |
|----------------|------|--|--|
|----------------|------|--|--|

9.2. Other information

No other relevant information

Volatile Organic compounds - VOCs = 35.77 %

N.A. = not available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

P138SASPRAY

Acute toxicity

Not classified

Based on available data, the classification criteria are not met

ATEmix - Oral 25089,6 mg/kg bw

Skin corrosion/irritation

Not classified

Based on available data, the classification criteria are not met

Serious eve damage/irritation

The product is classified: Eye Irrit. 2 H319

Respiratory or skin sensitisation

The product is classified: Skin Sens. 1 H317

Germ cell mutagenicity



Not classified

Based on available data, the classification criteria are not met

Carcinogenicity

Not classified

Based on available data, the classification criteria are not met

Reproductive toxicity

Not classified

Based on available data, the classification criteria are not met

STOT-single exposure

Not classified

Based on available data, the classification criteria are not met

STOT-repeated exposure

Not classified

Based on available data, the classification criteria are not met

Aspiration hazard

Not classified

Based on available data, the classification criteria are not met

Adverse health effects

Skin and Eye contact:

It can cause irritation if comes in contcat with skin and/or eyes.

Toxicological information of the main substances found in the product:

Hydrocarbures, C13-C16, n-alcanes, isoalcanes, cycliques, < 0.03% aromatiques Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 3160 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 5266 mg/m3 - Duration: 4h

ISOTRIDECANOL, ETHOXYLATED - CAS: 69011-36-5

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 500 mg/kg

Test: LD50 - Route: Oral - Species: Rat < 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

naphthalene - CAS: 91-20-3

Acute toxicity:

Test: LD50 - Route: Skin - Species: Rat > 2500 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 0.4 mg/l - Duration: 4h

Test: LD50 - Route: Oral - Species: Mouse = 533 mg/kg

1,4-dioxane - CAS: 123-91-1

Acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 30.000 mg/kg

STOT-repeated exposure:

Route: Oral - Species: Rat > 2 %

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

Other toxicological information:

None.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. P138SASPRAY

Not classified for environmental hazards

Based on available data, the classification criteria are not met

P138SASPRAY - version 1



Hydrocarbures, C13-C16, n-alcanes, isoalcanes, cycliques, < 0.03% aromatiques

a) Aquatic acute toxicity:

Endpoint: EL50

- Species: Skeletonema costatum > 10000 mg/l - Duration h: 72

Endpoint: LL50

- Species: Daphnia > 3193 mg/l - Duration h: 48

Endpoint: LL50

- Species: Turbot (Scophthalmus maximus) > 1028 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: DSEO-R (NOELR) - Species: Daphnia > 1000 mg/l - Duration h: 504

Endpoint: DSEO-R (NOELR) - Species: Fish > 1000 mg/l - Duration h: 672

ISOTRIDECANOL, ETHOXYLATED - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1 mg/l - Notes: Cyprinus carpio

Endpoint: EC50 - Species: Daphnia > 1 mg/l

Endpoint: EC50 - Species: Algae > 1 mg/l

naphthalene - CAS: 91-20-3

a) Aquatic acute toxicity:

Endpoint: EL50

- Species: Daphnia > 3 mg/l - Duration h: 48

Endpoint: LL50

- Species: Fish > 2 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EL50

- Species: Algae = 11 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata Endpoint: DSEO-R (NOELR) - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes:

Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Hydrocarbures, C13-C16, n-alcanes, isoalcanes, cycliques, < 0.03% aromatiques

Biodegradability: Readily biodegradable - Duration: 28 days - %: 74 - Notes: OECD 306

naphthalene - CAS: 91-20-3

Biodegradability: Biodegradability rate - Duration: 28 days - %: 50

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

N.A.

Additional disposal information:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Please consult Technical Data Sheet for details.

SECTION 14: Transport information





14.1. UN number or ID number

ADR-UN Number: 1950 IATA-UN Number: 1950 IMDG-UN Number: 1950

14.2. UN proper shipping name

ADR-Shipping Name: AEROSOLS, flammable AEROSOLS, flammable

14.3. Transport hazard class(es)

ADR-Class: 2
ADR - Hazard identification number: -

IATA-Class: 2.1 IMDG-Class: 2.1

IMDG-Class: 2

14.4. Packing group

ADR-Packing Group: IATA-Packing group: IMDG-Packing group: -

14.5. Environmental hazards

ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No IMDG-EmS: F-D , S-U

14.6. Special precautions for user

ADR-Subsidiary hazards: See SP63
ADR-S.P.: 190 327 344 625
ADR-Transport category (Tunnel restriction code): 2 (D)

IATA-Passenger Aircraft: 203

IATA-Subsidiary hazards: See SP63 IATA-Cargo Aircraft: 203

IATA-S.P.: A145 A167 A802

IATA-ERG: 10L
IMDG-Subsidiary hazards: See SP63
IMDG-Stowage and handling: SW1 SW22
IMDG-Segregation: SG69

Q.L.: 1L Q.E.: E0

14.7. Maritime transport in bulk according to IMO instruments

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)



Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Regulation (EU) n. 2021/849 (ATP 17 CLP) Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

Restriction 28

Restriction 75

Listed or in compliance with the following international inventories:

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Labelling of biocides (Regulations 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC):

N.A.

N.A.

Where applicable, refer to the following regulatory provisions:

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

SVHC Substances:

Substances in candidate list (Art. 59 Reg. 1907/2006, REACH):

1,4-dioxane

Carcinogenic, Equivalent level of concern having probable serious effects to human health, Equivalent level of concern having probable serious effects to environment

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: P3a

15.2. Chemical safety assessment

No

SECTION 16: Other information



N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H304 May be fatal if swallowed and enters airways.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eve irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H225 Highly flammable liquid and vapour.

H350 May cause cancer.

H335 May cause respiratory irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH019 May form explosive peroxides.

| Hazard class and | Code | Description |
|-------------------|------------|--|
| hazard category | | |
| Aerosols 1 | 2.3/1 | Aerosol, Category 1 |
| Flam. Liq. 2 | 2.6/2 | Flammable liquid, Category 2 |
| Acute Tox. 4 | 3.1/4/Oral | Acute toxicity (oral), Category 4 |
| Asp. Tox. 1 | 3.10/1 | Aspiration hazard, Category 1 |
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Eye Irrit. 2 | 3.3/2 | Eye irritation, Category 2 |
| Skin Sens. 1 | 3.4.2/1 | Skin Sensitisation, Category 1 |
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| Carc. 1B | 3.6/1B | Carcinogenicity, Category 1B |
| Carc. 2 | 3.6/2 | Carcinogenicity, Category 2 |
| STOT SE 3 | 3.8/3 | Specific target organ toxicity - single exposure, Category 3 |
| STOT RE 2 | 3.9/2 | Specific target organ toxicity - repeated exposure, Category 2 |
| Aquatic Acute 1 | 4.1/A1 | Acute aquatic hazard, category 1 |
| Aquatic Chronic 1 | 4.1/C1 | Chronic (long term) aquatic hazard, category 1 |

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|--------------------------|
| Aerosols 1, H222, H229 | On basis of test data |
| Skin Sens. 1, H317 | Calculation method |
| Eye Irrit. 2, H319 | Calculation method |

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1



Insert further consulted bibliography

Important confidentiality: this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden. SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

The information is considered correct, but it is not exhaustive and it shall be used only as a guide which is based on the current knowledge of the substance or mixture and it is applicable to the safety precautions appropriate for the product.

ADR: European Agreement concerning the International Carriage of

Dangerous Goods by Road.

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

CAS: Chemical Abstracts Service (division of the American Chemical

Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of

Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport

Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"

(ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

RID: Regulation Concerning the International Transport of Dangerous Goods

by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

STOT SE: May cause drowsiness or dizziness

TLV: Threshold Limiting Value.
TWA: Time-weighted average

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.

(ACGIH Standard).

WGK: German Water Hazard Class.

