Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Penetrant RC-55

- UFI: 4D42-T0XT-W00J-02YK
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Penetrant
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

· Supplier:

BabbCo SA SherwinBabbCo

15, rue des Frères Lumière Z.I. des EBISOIRES 78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82 Tel: +33 (0)1.30.80.81.98

e-mail: regulatoryservice@babbco.fr

http://www.babbco.fr

Manufacturer: NDT Europa BV damsluisweg 77

1332 EB almere / the netherlands

phone +31 (0) 36 5495000 fax +31 (0) 36 5495011 e-mail: info@ndt-europa.nl http://www.ndt-europa.nl

· Further information obtainable from: Product safety department

1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible, risks

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Blend of highly refined mineral oil

(Contd. on page 2)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 1)

Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards See Chapters 3 and 15 for details.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:						
CAS: 28553-12-0 EINECS: 249-079-5 Reg.nr.: 01-2119430798-28	diisononyl phthalate	substance with a Community workplace exposure limit	25-50%			
CAS: 64742-47-8 EC number: 918-973-3 Reg.nr.: 01-2119458871-30	Blend of highly refined mineral oil	♦ Asp. Tox. 1, H304, EUH066	10-25%			
CAS: 64742-55-8 EC number: 920-114-2 Reg.nr.: 01-2119977122-39	Blend of highly refined mineral oil	♦ Asp. Tox. 1, H304, EUH066	10-25%			

Additional information:

64742-55-8 Blend of highly refined mineral oil: Note L is applicable for this product:

The classification as a carcinogen need not apply, because the substance contains less than 3 % DMSO extract as measured by IP 346.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- * 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Foam

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

No further relevant information available.

(Contd. on page 3)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 2)

5.3 Advice for firefighters

Special protective equipment for fire-fighters:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 28553-12-0 diisononyl phthalate

OEL Long-term value: 5 mg/m³

- Regulatory information OEL: 2021 CoP for the Safety, Health and Welfare at Work
- 'Additional information: The lists valid during the making were used as basis.
- *8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)

When using a dry powder:

- Recommended for particulate filters (type P)
- · Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves Natural rubber, NR

(Contd. on page 4)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 3)

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

· Colour: Yellow fluorescent Odour: Characteristic **Odour threshold:** Not determined. • Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 240 °C Not applicable.

Flammability

· Lower and upper explosion limit

· Lower: 0,1 Vol % · Upper: 7 Vol %

Flash point: > 110 °C (ASTM D-93)

Auto-ignition temperature: >230 °C **Decomposition temperature:** Not determined.

Mixture is non-polar/aprotic.

· pH

Viscosity:

Kinematic viscosity at 40 °C 7,8 mm²/s (ASTM D-445)

Kinematic viscosity

Dynamic: Not determined.

Solubility

Not miscible or difficult to mix. water:

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 2 hPa

Vapour pressure:

Density and/or relative density

Density at 20 °C: 0,936 g/cm3 (ASTM D-1298)

Relative density Not determined. · Vapour density Not determined.

9.2 Other information

Appearance:

· Form: Fluid

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Solvent content:

Organic solvents: 33,4 % **VOC (1999/13/EG)** 0,00 %

Change in condition

Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives not applicable Flammable gases not applicable

(Contd. on page 5)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 4)

		(Contd. of page 4)
· Aerosols	not applicable	
Oxidising gases	not applicable	
Gases under pressure	not applicable	
Flammable liquids	not applicable	
Flammable solids	not applicable	
Self-reactive substances and mixtures	not applicable	
Pyrophoric liquids	not applicable	
Pyrophoric solids	not applicable	
Self-heating substances and mixtures	not applicable	
Substances and mixtures, which emit flammable gases in		
contact with water	not applicable	
Oxidising liquids	not applicable	
Oxidising solids	not applicable	
Organic peroxides	not applicable	
Corrosive to metals	not applicable	
Desensitised explosives	not applicable	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity

Information on hazardous ingredients

Based on available data, the classification criteria are not met.

	based on available data, the state-included internal are not met.			
· LD/	· LD/LC50 values relevant for classification:			
CAS: 64742-47-8 Blend of highly refined mineral oil				
Oral	LD50	>2.000 mg/kg (rat)		
		>2.000 mg/kg (rabbit)		
CAS: 64742-55-8 Blend of highly refined mineral oil				
Oral	LD50	>2.000 mg/kg (rat)		
		>2.000 mg/kg (rabbit)		

Skin corrosion/irritation

repeated exposure may cause skin dryness or cracking

Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.

(Contd. on page 6)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 5)

· 11.2 Information on other hazards

• Endocrine disrupting properties

CAS: 115-86-6 triphenyl phosphate

List II

SECTION 12: Ecological information

- 12.1 Toxicity
- **Aquatic toxicity:**

Information on hazardous ingredients

CAS: 64742-47-8 Blend of highly refined mineral oil

LC50/ 96 h >1.000 mg/l (Fish) EC50/ 48 h >1.000 mg/l (daphnia) IC50 /72 h >1.000 mg/l (Algea)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- · European waste catalogue 07 07 04
- · Uncleaned packaging:
- Recommendation:

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	not applicable
14.2 UN proper shipping name ADR, IMDG, IATA	not applicable
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	not applicable
· 14.4 Packing group	
· ADR, IMDG, IATA	not applicable
· 14.5 Environmental hazards:	
'Marine pollutant:	No

(Contd. on page 7)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

		(Contd. of page 6)
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according to IMO		
instruments	Not applicable.	
· Transport/Additional information: Not dangerous according to the above specificati		
UN "Model Regulation":	not applicable	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 52a
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

European regulation (REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

Relevant phrases

May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

- · Department issuing SDS: Product safety department
- · Prepared by NDT Europa BV
- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)

Revision date: 25.05.2023 v. 1 Date of issue: 25.05.2023

Trade name: Penetrant RC-55

(Contd. of page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard – Category 1

IE —