Revision date: 23.07.2018 Date of issue: 16.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Penetrant Aqua-Chek WB-100
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Penetrant
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Supplier:

BabbCo SA

SherwinBabbCo

Tel: +33 (0)1.30.80.81.98

e-mail: SherwinBabbco@orange.fr

15, rue des Frères Lumière Z.I. des EBISOIRES 78370 PLAISIR (France)

Tel: +33 (0)1.30.80.81.82 Fax: +33 (0)1.30.80.81.99

e-mail: babb-co@orange.fr

http://www.babbco.fr Manufacturer:

NDT Europa BV damsluisweg 77

1332 EB almere / the netherlands phone +31 (0) 36 5495000

fax +31 (0) 36 5495011 e-mail: info@ndt-europa.nl http://www.ndt-europa.nl

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number:

Tel: +33 (0)1.40.05.48.48 (Centre anti-poison de Paris)

Tel: +33 (0)1.30.80.81.98

Additional information:

Attention Medical Authorities,

In accordance with law, to the best of its knowledge, and in good faith, SherwinBabb Co herewith indicates known, or possible, risks

arising from the use of the product described below.

There may be similar products on the market for which the suppliers have not indicated certain risks.

Suppliers are responsible for completing SDS forms in a manner that:

- does not give a product's user a false sense of security concerning the product's risks, or which,
- misrepresents the product in a manner that could be construed as unfair competition, or which,
- could lead to legal proceedings against the supplier.

Please contact us to answer any questions, or for additional information, concerning this document, or the product(s) described.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



GHS05

- · Signal word Danger
- **Hazard-determining components of labelling:**

Secondary alcohol ethoxylates (3)

Hazard statements

H318 Causes serious eye damage.

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 1)

Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 Immediately call a doctor.

- · 2.3 Other hazards See Chapters 3 and 15 for details.
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 68131-40-8 Reg.nr.: polymer	Secondary alcohol ethoxylates (3)		25-50%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	2-(2-butoxyethoxy)ethanol	◆ Eye Irrit. 2, H319	10-25%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

Water haze

Foam

ABC powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- 5.2 Special hazards arising from the substance or mixture Carbon monoxide and carbon dioxide
- 5.3 Advice for firefighters
- · Special protective equipment for fire-fighters:

Wear self-contained respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 2)

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Work only in fume cupboard.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store receptacle in fume cupboard.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

· Additional information: The lists valid during the making were used as basis.

- *8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Respiratory protection:

When using a liquid based on organic compound:

- Recommended for organic vapour (type A)

When using a dry powder:

- Recommended for particulate filters (type P)
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Natural rubber, NR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 3)

Eye protection:



Tightly sealed goggles

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

	9.1 Information on	basic phy	sical and c	chemical	properties
--	--------------------	-----------	-------------	----------	------------

General Information

Appearance:

Form: Fluid

Colour: Yellow fluorescent · Odour: Characteristic **Odour threshold:** Not determined. pH-value:

Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 ℃

Flash point: > 93 °C (ASTM D-93)

Flammability (solid, gas): Not applicable.

Auto-ignition temperature: 225 ℃

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Not determined.

Explosion limits:

Lower: 0.9 Vol % **Upper:** 5.9 Vol %

Vapour pressure at 20 °C: 23 hPa

Density at 20 °C: 1.015 g/cm3 (ASTM D-1298)

 Relative density Not determined. **Vapour density** Not determined.

 Evaporation rate Not determined.

Solubility in / Miscibility with

Not determined. water:

Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic at 40 °C: 16.6 mm²/s (ASTM D-445)

Solvent content:

Organic solvents: 12.0 % Water: 52.2 % VOC (1999/13/EG) 11.95 %

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 4)

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Information on hazardous ingredients
- LD/LC50 values relevant for classification:

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

Dermal LD50 4,000 mg/kg ð (rabbit)

- **Primary irritant effect:**
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Causes serious eve damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- * STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity:

Information on hazardous ingredients

CAS: 68131-40-8 Secondary alcohol ethoxylates (3)

LC50/ 96 h | 1-10 mg/l (Fish)

EC50/ 48 h 3.1 mg/l (daphnia)

- · 12.2 Persistence and degradability Product tested according to OECD302B regulation, show inherent & ultimate biodegradability.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark:

Secondary alcohol ethoxylates: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents

- Additional ecological information:
- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

- GB

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 5)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Waste/ unused products

Collect all waste in suitable and labelled containers and dispose according to local legislation.

- · European waste catalogue 07 07 04
- Uncleaned packaging:
- **Recommendation:**

Waste / used products

Waste products and empty packages dispose of in accordance with local regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number			
· ADR, IMDG, IATA	not applicable		
· 14.2 UN proper shipping name			
· ADR, IMDG, IATA	not applicable		
· 14.3 Transport hazard class(es)			
· ADR, IMDG, IATA			
· Class	not applicable		
14.4 Packing group			
· ADR, IMDG, IATA	not applicable		
· 14.5 Environmental hazards:			
· Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex II of Marpol and			
the IBC Code	Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.		
· UN "Model Regulation":	not applicable		

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 55
- · Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

(Contd. on page 7)

Revision date: 23.07.2018 Date of issue: 16.02.2015

Trade name: Penetrant Aqua-Chek WB-100

(Contd. of page 6)

European regulation (REACH) requires that in paragraph 16 all H sentences dealing with raw materials appearing in paragraph 2 and 3 be written. This regulation states which sentences will finally be written on labels (paragraph 3) depending on the respective concentration of every raw material in the preparation. That's why some or all of the sentences or signs shows in paragraph 16 may not be written on the label. BabbCo complies with the law. Any MSDS with the H sentences of the raw material not shown in the paragraph 16 does not comply with regulation.

Relevant phrases

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

· Prepared by NDT Europa BV

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* * Data compared to the previous version altered.

GB